

DANGER

- **Flam. Liq. 3:** H226 - Flammable liquid and vapour
- **Acute Tox. 4:** H302 - Harmful if swallowed
- **Skin Irrit. 2:** H315 - Causes skin irritation
- **Eye Dam. 1:** H318 - Causes serious eye damage
- **P210** - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- **P280** - Wear Protective gloves/protective clothing/eye protection/face protection
- **P301+P312** - IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell
- **P302+P352** - IF ON SKIN: Wash with plenty of water
- **P305+P351+P338** - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- **P310** - Immediately call a POISON CENTRE/doctor if you feel unwell
- **P403+P235** - Store in a well-ventilated place. Keep cool.



ENGAGEAGRO
EUROPE



LimaX

ENGAGEAGRO
EUROPE

A unique blend of silicon nutrient and concentrated plant extracts created for foliar application to increase the strength, growth and health of crops and render them unpalatable to slugs and snails.



BENEFITS OF LIMAX

- Optimal plant cell development.
- 100 % crop available.
- Aids maintenance of cell strength and plant hair growth.
- Reduces feeding for up to five weeks.

CROPS

All cereals, brassicas, potatoes, root crops, top fruit, soft fruit, fruiting vegetables, vines, salad crops, and ornamentals.




DIRECTIONS FOR USE

Application rates will vary slightly depending upon crop. Avoid spraying in sunlight hours if air temperature is above 30°C or in full sun. Apply in 300-800 litres of water for optimum coverage and in a minimum of 200 litres.

COMPATIBILITY

LimaX is compatible with most known fertilisers and pesticides but it is advisable to conduct a jar test with new mixes or new products. LimaX should only be used as recommended.

CROP TIMINGS AND APPLICATION RATES

Crop	No of applications	Timings applications	Rates litres/ha
 Field crops	2-4	As part of a regular programme at 10-14 day intervals or at first signs of increased feeding pressure	0.3-0.5
 Fruit crops	2-6	As part of a regular programme at 10-14 day intervals or at first signs of increased feeding pressure	0.25-0.5
 Ornamentals & Sportsturf	3-6	As part of a regular programme at 10-14 day intervals or at first signs of increased feeding pressure	0.25-0.5

ANALYSIS

Silicon (Si) 10% w/v
+ Plant extracts

PRECAUTIONS/PERSONAL PROTECTION

Eye/Face Protection: Wear chemical safety goggles. Wear a face shield where splashing is possible.

Skin Protection: Wear water impervious protective gloves, boots and chemical protective clothing. Remove any contaminated clothing and wash before re-use.

Handling: Wash hands thoroughly after handling and before eating or smoking.

Storage: Store in original container and keep closed when not in use and when empty. Protect from freezing. Protect from damage.

KEEP OUT OF REACH OF CHILDREN.

Chorley Business & Technology Centre | Euxton Lane
Euxton | Chorley | Lancashire | PR7 6TE

t: +44 (0)1257 226590 e: info@engage-agro.com

www.engageagroeuropa.com

1 litre e

Limax

ENGAGE AGRO
EUROPE

A unique blend of silicon nutrient and concentrated plant extracts created for foliar application to increase the strength, growth and health of crops and render them unpalatable to slugs and snails.

BENEFITS OF LIMAX

- Optimal plant cell development
- 100 % crop available
- Aids maintenance of cell strength and plant hair growth
- Reduces feeding for up to five weeks

CROPS

All cereals, brassicas, potatoes, root crops, top fruit, soft fruit, fruiting vegetables, vines, salad crops, and ornamentals.



6 x 1 litre e

Chorley Business & Technology Centre | Euxton Lane
Euxton | Chorley | Lancashire | PR7 6TE

t: + 44 (0)1257 226590 e: info@engage-agro.com

www.engageagroeurope.com